# Wi-Fi KIT USER MANUAL



# NOTE:

Carrier will not be liable for any issues and problems caused by Internet, Wi-Fi Router and Smart mobile. Please contact the original provider to get further help.









# **CONTENTS**

<b>1</b> DECLARATION OF CONFORMITY	1
2 SPECIFICATION	1
3 PRECAUTIONS	1
4 INSTALLATION	2
5 CONFIGURATION	4
6 APP OPERATION.	15

## CAUTIONS

- This device complies with Part 15 of the FCC Rules and RSS 210 of Industry & Science Canada. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
- Only operate the device in accordance with the instructions supplied. This device complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. In order to avoid the possibility of exceeding the FCC and IC radio frequency exposure limits, human proximity to the antenna shall not be less than 20cm (8 inches) during normal operation.
- Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

## **1** DECLARATION OF CONFORMITY

Hereby, we declare that this AC is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC. The declaration of conformity maybe consulted with sales agent.

# 2 SPECIFICATION

Model: OSK102 Standard: IEEE 802.11b/g/n Antenna Type: External omnidirectional Antenna, Frequency:Wi-Fi: 2.4G Maximum Transmitted Power: 15dBm Max Dimension:55x24x8(mm) Operation Temperature:0°C~45°C/32°F~113°F. Operation Humidity:10%~85% Power Input: DC 5V/300mA

# **3** PRECAUTIONS

- Applicable system :iOS, Android. (Suggest: iOS 7.0 orlater Android 4.0 or later) Please check the service website for more applicable devices.
- Disclaimer: Due to the special situation existed during App use, we explicitly claim as bellow: Not all of the Android and iOS systems are compatible with the APP. We will notbe responsible for any issue as a result of the incompatibility
- SMART KIT wireless safety strategy. Smart kit only support WPA-PSK/WPA2-PSK encryption and none encryption.
  WPA - PSK /WPA2 - PSK oncryption is recommended.

WPA-PSK/WPA2-PSK encryption is recommended.


- Smart Phone camera needs to be 5 million pixels or above to make sure scan QR code well.
- Due to different network situation, sometimes, request time-out could be happened, thus, it is necessary to do network configuration again.
- Due to different network situation, sometimes, control process may return time out. If this situation occurs, do not feel confused, the display on board and APP may not be the same.

## 4 INSTALLATION

#### 1. Internet work

Wi-Fi router, smart mobile, smart air conditioner are needed for this function.

- 1) Smart Phone
- 2) Smart Air conditioner
- 3) Wi-Fi Router



2

## 2. Smart kitinstallation

Remove the protective cap of the smart kit



- ② Open the front panel and insert the smart kit into the Wi-Fi adapter.
- ③ Attach the QR code packed with SMART KIT to the side panel of the machine, ensure it is convenience to be scanned by the mobile phohe.



3. APP installation

Iphone:

Scan QR Code or go to App Store and search for 'Carrier air conditioner' app and download it.

## ② Android system:

Scan QR Codeor go to Google play, search for 'Carrier air conditioner' app and download it.

3

carrier air conditioner

# Carrier Air Conditioner Century Carrier Residential Air-c..

# 5 CONFIGURATION

## 1.User Registration on APP

 Please ensure the mobile device has connected to Wi-Fi router. And the router has already connected to internet before registration and network configuration.



## CAUTION:

- It is better to log in email box and active registration account by clicking link in case forget the password.
- Make sure the mobile connect to the Wi-Fi network.
- Make sure the mobile Wi-Fi function works well and can be connected to Wi-Fi network automatically.
- If the smart kit failed to connect to the router, please confirm the encryption setting of router should be WPA

### 2. Set Air conditioner into AP mode

- ① Turn on the air conditioner, press the 'LED' button on the remote controller for 7 times continuously.
- ② When the displayshow 'AP' and flash, itmeans that the smartkit has alreadyentered the Wi-Fi network setting mode.

#### Kindly reminder:

- When the air conditioner entered into Wi-Fi network setting mode, the remote controller can not control the AC before the Wi-Fi network setting finished.
- If there is no setting operation under Wi-Fi network setting mode, the air conditioner will quit this mode automatically 8 minutes later ,then the user can control the AC with remote controller normally.

6


## 3. Add device to the account

Note: The configuration process is different for Android system and iOS system mobile.


First, open the APP, sign in with the registered account and password.

If the mobile is android system, please follow the process as below, if the mobile is Iphone, please go to page 8 and follow the process.

Network configuration for Android system mobile



6



7

Select Wi-Fi network, for example My Home ,then enter the Wi-Fi password and click OK.

④ Configuration Success, then the device can be seen on the list.

### Network configuration for Iphone



8

① Press "+ Add Device "

2 Read the instruction above and press the "Home" button to return to the lphone main interface



Ø

enter the setting page, select WLAN setting.

③ Click mobile settings to ④ Choose net ac XXXX





Connecting Device

Settings

Nex

**9** 82% **80** 


00

Off

(5) Type defultpassword: 12345678 and click "Join "

10

6 Return to APP and click Next



Ð

⑦Select Wi-Fi network, (8) Configuration Success, for example My Home then enter the Wi-Fi password and click OK.

the device can be seen on the list

## NOTE:

When finishing network configuration, APP will display success cuewords on the screen.

Due to differentInternet environment, it is possible that the device status still display "offline" and can not access to the operation interface.

If this situation occurs, user should pull the device list down and refresh the status become "online".


If it does not work, turn off the AC turn on it again.

Ð

# 6 APP OPERATION

#### 1. Sign in

Please ensure both mobile device and air conditioner are connected to the Internet before using app to control the air conditioner via internet, please follow the next steps:



- ① Enter user account and password, Click "Sign in "
- Select the targetair conditioner to enter the main control interface.





③ Touch the logo in the center to turn on the air conditioner.


④ Now, the air conditioner is available to be controlled by APP.

## NOTE:

Not all the functions of the APP are available for every air conditioner. For example: ECOis only available for inverter model, vertical louver swing is only available for the models with vertical swing motor.

1A

## 2. Main interface and functions



Ð

#### ON/OFF:

Press this button to turn on or turn off the unit.

Press this button to change the running mode (COOL, HEAT, DRY, FAN, AUTO)

## Fan speed selection:

Press this button to change the fan speed High fan 3layer aura Med fan 2layer aura

- Med fan 2layer aura Low fan 1layer aura
- Low fan Tiayer aura

## Turbo: \*

Press this button to active turbo mode.

(Only available for cool running)

## Vertical louvers swing: \*

Press this button to active the vertical louvers swing.

## Horizontal louvers swing:

Press this button to active the horizontal louvers swing.

## ECO: \*

Press this button to active ECO mode.

## Celsius / Fahrenheit

Press this button to change the temperature unit showing on the AC display.

## Setting temperature:

Touch the screen near the temperature, slip up & down to change the temperature, do not loosen finger until the number reach to target.

\* Model dependent

## 3. SPECIAL FUNCTIONS

Including: Timeron, Timeroff,  $8^\circ C$  Heat, Sleep, Check.

**NOTE:** The smart kit will check the software program in the air conditioner control parts, only show the available functions on the APP.

## Timer on/ Timer off

Weekly, user can make an appointment to turn on or turn off the AC on specific time. User can choose circulation to keep the AC under schedule control every week.



17)



②Choose the setting time ③Choose the date, then to turn onor turn off the confirm with "OK". air conditioner.

18

## Sleep

Ø

This function can customize comfortable sleep by setting target temperature.

ζ	Function	•	< د	ileep	
Timer on	22:00 Everyday	$\bigcirc$	τ		
Timer off	15:39	$\bigcirc$		~	p
Sleep	~~	$\bigcirc$	/		
Check		>			
8°C Heat		0	Oh 2h		
			Edit		0
		J	Young		
			Elder		

①Choose sleep function. ②Choose Edit, Young,

Choose Edit, Young, Elder or Children mode. In Edit mode, user can choose the setting temperature within 8 hours. Finally confirm with "OK"

#### Check

This function can simply check the AC running status. When finishing this procedure, it can show the normal items, abnormalitems, and detail information.



 $\textcircled{\sc blue}$  Choose check function.  $\textcircled{\sc blue}$  The air conditionerscan the running status.

20



21

③Finish check.

④ Press "Done", the APP will show the detail.

## ■ 8°CHeat

In this mode, the air conditioner will run under  $8^\circ C$  Heat. When people go outside, this function can protect the furniture from frost damage.

22

#### Ó Ô 22:00 Timer on Everyday Profile Photo 15:39 Timer off Full Name ABC ARC M Sleep Username Mail Check Add Device Password 8°C Heat AC684B AC684E ①Press the picture. 2 Choose the information need to be changed, then press "Save ".

## 4. Change the information of device

User can modify their information and nominate the name for the devices.

23

## Modify user information

### Nominate the device

