

COMMERCIAL

DCC

AIR CONDITIONER PACKAGED PRODUCTS

3 - 25 Ton



ENERGY-INTELLIGENT™ HEATING AND COOLING SYSTEMS

A large, semi-transparent watermark logo is positioned on the left side of the page. It consists of a circular shape with a red arrow pointing down and a grey arrow pointing left, both overlapping a central grey circle.

Climaproyectos
.COM

Commercial Curb Appeal

Daikin brand commercial packaged products offer outstanding performance. Many retrofit applications do not require transition curbs. Look to Daikin brand commercial packaged products to deliver durable and reliable performance.

DAIKIN DCC Air Conditioner Packaged Units

Comfort for Life

Daikin is a global leader for indoor comfort, with millions of systems installed throughout the world. Today, millions and millions of people trust Daikin to deliver comfort for life to families and businesses alike.

Dependable compressor

One of the most critical components of a packaged air conditioner is the compressor. Daikin brand DCC Packaged Air Conditioners boast high-

performance, high-efficiency compressors, which operate in tandem with our high-efficiency coil. The coil is made of refrigeration-grade copper tubing and aluminum fins in a design that maximizes surface area. These high-quality components together cool effectively. This exceptional construction offers one of our best levels of reliability, durability, and efficiency you'll find in a compressor.

Climaproyectos.com

FEATURES:

- 1 Built-in filter rack with standard 2" filters
- 2 3 - 2½ ton units are convertible for horizontal or downflow applications
- 3 Full-perimeter base rail; Footprint fits many existing curbs without a curb adaptor (3 - 12½ ton units)
- 4 Copper tube/ aluminum fin evaporator coil

BENEFITS:

- Energy-efficient heating and cooling performance
- Chlorine-free R-410A refrigerant
- Heavy-gauge, galvanized steel cabinet with UV-resistant powder-paint finish resists weather and time
- Air Conditioning, Heating, and Refrigeration Institute (AHRI) certified



ADDITIONAL INFORMATION

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.

visit www.daikincomfort.com

R-410A refrigerant

Compared to packaged units using R-22 refrigerant, your new Daikin brand DCC Packaged Unit will not only provide you with energy-saving performance for many years, but it also features R-410A refrigerant. This refrigerant does not contain chlorine.


Introduced in 1995, R-410A refrigerant has helped increase the durability and reliability of air conditioner compressors.

OUTSTANDING WARRANTY* PROTECTION



*Complete warranty details available from your local dealer or at www.daikincomfort.com.

www.daikincomfort.com



Heat Pump Shown

- ⑤ High-efficiency scroll compressor
- ⑥ SmartCoil™ 5mm condenser coil (in select models)
- ⑦ High-capacity, steel-cased filter drier
- ⑧ A cabinet made of heavy-gauge galvanized steel

SMARTCOIL™

Our 5, 6, 7½, 8½, 10, 12½, 15, 20 and 25-ton DCC model packaged units now feature our SmartCoil™ condensing coil – the most advanced and efficient 5mm copper tube and aluminum fin combination available.

Daikin: The Premium Brand industry leader

DAIKIN



Daikin Industries, Ltd. (DIL) is a global Fortune 1000 company which celebrated its 90th anniversary in May 2014. The company is recognized as the largest HVAC (Heating, Ventilating, Air Conditioning) manufacturer in the world. DIL is primarily engaged in developing indoor comfort products, systems and refrigeration products for residential, commercial and industrial applications. Its consistent success is derived, in part, from a focus on innovative, energy-efficient and premium quality indoor climate and comfort management solutions.

Climaproyectos.com



Our continuing commitment to quality products may mean a change in specifications without notice.

© 2015 **DAIKIN NORTH AMERICA LLC** · Houston, Texas · USA · www.daikincomfort.com

CB-DCC_08-15